





- \* Armatürde ı ıklık kısmı tamamen alüminyumdan üretilmi tir ve temperli camlıdır.
- \* ı ıklık kısmını tutan dekoratif ekilli kollar Elektro Galvanizli Çeliktendir.
- \* Reflektör kaidesi kompozit malzemeden üretilmi tir.
- \* Armatürde kullanılan alüminyum reflektör prizmatik çizgilidir.
- \* Bo umlu Tip Gövde borusu ve 'U' kolu çeliktendir, üzeri elektro galvaniz kaplıdır.
- \* Sigorta ve Ba lantı Terminali alt gövde borusunun içine montajlıdır.
- \* Terminal Kapa ı Sıfır kesitli ve su geçirmez contalıdır.
- \* Elektro Galvanizli Çelikten üretilen Zemin Montaj Elemanı, Flan lı ve 3 Blondan olu maktadır.
- \* Kullanılan tüm vidalar paslanmaz çeliktendir.
- \* Dı etkenlere kar ı dayanıklı Antibulle katkılı, Elektrostatik Polyester Toz Boyalıdır.
- \* ste e ba lı tüm RAL renkler kullanılabilir.

- \* The Luminary Part of the fitting is compeletly manufactured from Aluminium with the tempered glass.
- \* Decorative arms holding the luminary are manufactured by steel and also coated by electro galvanize.
- \* Composit material is used during the manufacturing of reflector base.
- \* The Aluminium Reflector that is used in the fitting has prismatic lines.
- \* Round-stepped Body Pole and 'U' Shaped Arm Bracket are manufactured by steel and coated by Electro Galvanize
- \* The connection terminal and Fuse Box are mounted into the lower side of the body pole.
- \* Terminal cover has zero section with the water resist gasket.
- \* Ground Mounting Element is made of Galvanized Steel with three anchor bolts and flange.
- \* All screws are made of stainless steel.
- \* The Paint is Electrostatic Polyester with The Antibulle alloyed resistant to all external factors.
- \* All RAL Colours can be applied upon request.

